

PERGO®

WOOD PARQUET

NEW!



FLOORS FOR REAL LIFE

product build up **4**

formats **6**

treatments and finishes **8**

collections **10**

product samples **34**

easy installation **42**

accessories **43**

technical info **58**

Created by nature, enhanced by Pergo

Nothing adds warmth and character to a room like a wood floor. The inherent personality of the material, with the unique variation it offers, makes the perfect starting point for creating a beautiful interior.

We value the importance of design. But we also know that there are other aspects to consider when choosing a floor. How well will it stand up to the tests your family will put it to every day? And how easy is it to install?

As we introduce Pergo wood floors, we

bring over thirty years of experience and a tradition of making beautiful floors for real life. Our durable, high-quality wood flooring is designed to be just as easy to install and reliable as other Pergo floors. But with the feeling only real, natural wood can provide.



SUBLIME ASH, PLANK W0108-01739

Natural beauty meets Pergo durability

Pergo wood floors are built as they should be: to last. After all, floors need to withstand quite a lot. Children, accidents and parties are all part of life – which is why Pergo floors are designed with them in mind.



1 Protective finish

7 layers of uv-cured water based lacquer or quality oil, provide maximum protection and ensure easy maintenance

2 Face layer

A carefully selected wood layer (2.5 or min 3 mm) that can be sanded 2 – 3 times

3 Advanced core

The core absorbs the stresses and strains that are put on your floor, and ensures that it remains stable in all conditions

4 Balanced backing

The backing veneer is made from ecologically certified wood and helps to perfectly balance the boards

Pergo wood floors consist of 3 layers of wood with the grain running in different directions to reduce the natural swelling and shrinking caused by fluctuations in temperature and humidity. An advanced core of spruce or pine absorbs stress and strain to ensure that your floor remains stable in all conditions.



~~The perfect result
is just a click away!~~

~~The PerfectFold™3.0 system allows for quick and easy installation anywhere. Just click the planks together using any one of three optional methods that works best for you. Read more about the drop-down, angling and horizontal insertion options on page 42.~~





PLANK DESIGN 1: 2200 x 220 mm. 2: 1820 x 190 mm. 3: 1820 x 145 mm.
BLOCK DESIGN 4: 1820 x 186 mm. 5: 2200 x 190 mm.

It's your life.

Create the stage you want.

Wide, long planks of wood that transform and elevate a large room to make it grand. Or blocked planks that can help a small room to grow? Our seven collections feature wood floors in a wide variety of sizes, designs and looks. Should you settle on a format first, or go for your favourite species of wood? The answer is entirely up to you. Either way, we will make sure you get a beautiful, durable and vibrant Pergo wood floor.



All materials used in the making of our wood floors have been carefully screened and selected in order to be sure of their ecological origin.

~~As a testament to our true commitment to care for the environment, Pergo was the first flooring company ever to receive the official Nordic Ecolabel, the Green Swan. It signifies that all our products are certified as a good environmental choice with respect to the product's overall impact on the environment.~~

~~We have the same ambition for our new wood floors. The core is made from spruce or pine. The top layer is sourced from sustainable supplies of oak and ash in Europe.~~ All our lacquer and oil meet strict international emission norms, so you can enjoy your wood flooring in the knowledge that it is made with respect for the environment.




Getting to know wood


Designing a wood floor is all about bringing out the allure of wood. About making natural beauty come to life. But wood is also a material that invites you to add a finishing touch, through different surface treatments and finishes. In this catalogue you will find a wide range of designs that are contemporary as well as timeless. Floors that will stand the test of time, in more ways than one.

Grading

Each tree is unique, and even different parts of the same tree produce different appearances. Knots and grain patterns help define and add character. Some of our products have more character than others, and that is why we have developed a grading system to help you find the floor with the expression you want.



Wood with subtle variations and small knots.




Wood with large knots and a lively variation in colour.




Rustic wood with pronounced, dark-filled knots and cracks.

Structure



Brushed

Brushing the surface of a wood plank accentuates the natural grain structure, and enhances the authentic look and feel of the wood.



Deep brushed

The wood surface is treated with special brushes, brushing down the soft parts between the annual rings. Deep brushing enhances the natural wood feel even more.



Saw cuts

The random marks of a saw cut surface really show off the craftsmanship and character of the wood planks, and add a genuine feeling to the room.

Finish

Wood is a material that truly grows more beautiful with time. And to ensure that you may enjoy your floors for many years to come, our floors are given a protective and caring surface finish. All our floors are ready for use right out of the box, with no extra surface treatment necessary. Choose between two finishes – oil and lacquer – bringing out different qualities in the wood to give them a distinct look. All our lacquer and oil meet strict international emission norms, so you can enjoy your wood flooring knowing that it was made with respect for the environment.



Satin lacquer



Matt lacquer



High-quality oil finish

7 protective layers of lacquer

Our floors are highly scratch and wear resistant compared to other lacquered wood floors. The lacquer also makes the floor dirt-repellent, easy to clean, and resistant against water as well as household chemicals. The icons indicate the shine of the floor, from a satin to a matt look.

Oil really puts emphasis on the authenticity of real wood and gives it an extra matt look. With oil, you get a surface that will age gracefully.

Bevels

Bevels define each individual plank, creating the feeling of an authentic wood floor. Our collections feature designs with bevels on the longest sides, all sides or no bevels for a smooth, even floor.



2-way bevel



4-way bevel



Plank design | 2200 x 220 x 14 mm | 4-way bevel

Svalbard

Long and wide planks that will add warmth and character to any room. The surface is one single piece of wood emphasizing the natural beauty of the material. Bevels along all edges help underline the long-plank design.



Plank design | 2200 x 220 x 14 mm | 4-way bevel

Svalbard





CHALKED OYSTER OAK, PLANK W0103-01738



Special block design | 2200 x 190 x 14 mm

Jomfruland

A unique design with strips in different sizes creating the look of a renovated, reclaimed wood floor. The aged edges, cracked knots, saw cut structures and variations in colour and dimensions all add to the distinct character of these floors.



Special block design | 2200 x 190 x 14 mm

Jomfruland





WINTER OAK, VARIATION W0511-01629

Plank design | 1820 x 190 x 14 mm | 2-way bevel

Gotland

A single-plank collection made with carefully selected, durable wood. Bevels on the longest edges add depth to the room. The collection provides a good balance in wood species, structure and finish that allow you to create just the look you desire.







SCANDINAVIAN ASH, PLANK W0105-01740



Plank design | 1820 x 190 x 14 mm | 2-way bevel

Gotland



Block design | 2200 x 190 x 14 mm

Värmdö

This design is created in a three-strip arrangement, offering endless decorating opportunities. This look is particularly stunning in smaller spaces, and is a great compliment to your interior decoration.





TRADITIONAL OAK, 3-STRIP W0311-01751



Block design | 2200 x 190 x 14 mm

Värmdö



RUSTIC WHITE ASH, 3-STRIP W0311-01739



NATURAL ASH, 3-STRIP W0311-01748



LIMED OAK, 3-STRIP W0311-01749



CLASSIC OAK, 3-STRIP W0311-01750

Plank design | 1820 x 145 x 14 mm | 2-way bevel

Bornholm

The single-plank design brings out the natural texture and different pattern of wood. This collection offers various wood species and finishes, with bevels on the longest edges to give structure to the floor.



SMOKED OAK, PLANK W0108-01354






SAND OAK, PLANK W0108-01341

Plank design | 1820 x 145 x 14 mm | 2-way bevel

Bornholm



Block design | 1820 x 186 x 14 mm

Sjælland

Two-strip pattern planks are ideal for creating an individual look. The pattern allows the wood to give each design its own unique character, and works on small surfaces as well as in large rooms.



ARCTIC OAK, 2-STRIP W0210-01742



LOUNGE OAK, PLANK W0210-01741



NATURAL OAK, 2-STRIP W0210-01338






WHITE ASH, 3-STRIP W0412-01739



Block design | 2200 x 190 x 13 mm

Åland


These three-strip patterns present a floor that gives the illusion of a larger, more open space. Enjoy the beauty and style of real wood in vibrant, lively combinations to provide the perfect background for everyday life.






Gotland

Plank design | 1820 x 190 x 14 mm | 3 mm surface | 2-way bevel



Bornholm

Plank design | 1820 x 145 x 14 mm | 3 mm surface | 2-way bevel



For technical reasons the colours printed here may differ from actual floor colours. We recommend visiting a dealer to view a sample prior to purchase.



Jomfruland

Special block design | 2200 x 190 x 14 mm | 3 mm surface



COFFEE OAK, VARIATION
W0511-01632



A unique design with strips in different sizes creating the look of a renovated, reclaimed wood floor. The aged edges, cracked knots, saw cut structures and variations in colour and dimensions all add to the distinct character of these floors.



For technical reasons the colours printed here may differ from actual floor colours. We recommend visiting a dealer to view a sample prior to purchase.


Värmdö

Block design | 2200 x 190 x 14 mm | 3 mm surface



Sjælland

Block design | 1820 x 186 x 14 mm | 3 mm surface



Åland

Block design | 2200 x 190 x 13 mm | 2,5 mm surface




For technical reasons the colours printed here may differ from actual floor colours. We recommend visiting a dealer to view a sample prior to purchase.

Click and go!

30%
faster
installation

The PerfectFold™ 3.0 system makes installation faster and easier than ever. What's more, the floor has already been given a protective finish, so once your floor is installed, you can immediately start walking on it and decorating the interior of your home.

Just click your planks together using the method that works best for you and there's no risk of you damaging the floor panels. Even if you want to reinstall your planks, the PerfectFold™ 3.0 makes it easy to lift them up and replace them when necessary.



Drop down

The ideal method for quickly installing a large area. Click the plank at the long side joint, slide it until it meets the end of the previously installed plank, and press down.



Angle

The ideal method for installing the first row of planks. Click the planks together first at the short end, and then at the long sides.



Insert horizontally

Unlike many other brands, Pergo wood floors can also be inserted horizontally. A very handy option for places where it is difficult or impossible to tilt the planks (when installing the last row of planks, or under door frames and radiators).

Completing the picture

When it comes to floors, beauty really is in the details. Because what would the new living room floor be without the wallbases and mouldings to match? The staircase without the finishing stair nose?

A floor is a complete home decor solution. Which is why we not only have developed a full line of matching accessories such as wallbases and mouldings, but also offer multi-functional underlays and underfloor heating solutions as well as all the accessories you need for installation and maintenance.

Our accessories are organised in five groups according to function and properties: Aesthetics, Underlays, Underfloor heating, Installation and Maintenance. You'll find more about each group on the following pages.





1

2

3

4

2

The aesthetic impression of a floor is largely determined by the choice of functional details such as wallbases, mouldings and stair noses. Pergo's PEFC certified assortment of wallbases and mouldings are coordinated to perfectly match the colour and decor of the floor, making them beautiful and durable accessories that truly accentuate your new home environment.



1. Wallbases

Pergo's colour coordinated wallbases are installed easily and flexibly using a snap-in system, nails, screws or glue. All wallbases have milled grooves on the back for easily concealing cables.



2. T-Mouldings

T-Mouldings are necessary for allowing floors to move when installing separate flooring sections on the same level, e.g. in two connecting rooms with the same floor. Available in our 5-in-1 solution.



3. Transitions and finishing pieces

These accessories provide an elegant transition and compensate for height differences wherever wood floors meet other flooring surfaces. Use a carpet transition between wood and carpeting, and a hard surface reducer between wood and tiles. End mouldings provide a nice finish against thresholds and in other similar situations. Available in our 5-in-1 solution.



4. Stair noses

Pergo's flooring is an excellent choice even for staircases, where matching stair noses are used to provide an elegant finish to each individual step. Available in our 5-in-1 solution.



Beading

When you want to keep existing wallbases, or install plinths, a beading is a practical solution that can help hide transitions and add an extra design touch. It's also well suited for window frames that extend all the way down to the floor. A small and very useful wallbase. Available in paintable and white colour.



PGWINCP(-)
2150 x 17 x 54 mm

(see matching matrix for correct art no)

5 perfect finishes in 1


Pergo 5-in-1 offers different moulding solutions for different parts of your floor, all wrapped up in one handy package. The mouldings match your floor perfectly in colour as well as in structure, and the all-in-one solutions provide a seamless result. The surface is wear and scratch-resistant veneer. The core consists of HDF and the bottom is made of plastic. With the patented Incizo® solution, you simply cut the moulding to the shape you need. Suitable for flooring heights between 12,5 and 14 mm.



1

T-moulding


From parquet to parquet.



2

Carpet transition


From parquet to carpet.



3

Hard surface reducer


From parquet to ceramic, vinyl or linoleum.



4

End moulding


Finishing up to threshold, sliding doors, etc.



5

Stair nose moulding, flush


For a flush finish on stair treads.



5

Stair nose moulding


For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room.



Stair nose, aluminium

Fits to flooring thickness of 7 - 16 mm, W = 23 mm, L = 2.7 m. PGSTPSILV, silver.

Surface: aluminium.



The Incizo® subprofile is required for stair application and has to be ordered separately.

NEWINCPBASE3

For all wood floors with 14 mm thickness.



Wallbase, straight

PGWPPSKR(-), 2400 x 16 x 80

See matching matrix for correct art no.

Colour matched. Surface: wear and scratch-resistant wood. Core: MDF.



Wallbase, straight

PGWPPSKRWHITE, white, 2400 x 16 x 80 mm

PGWPPSKRPAINT, paintable, 2400 x 16 x 80 mm

Colour: white, paintable. Surface: foil. Core: MDF.




Wallbase, cover
PGISKRCOVER

For easy and fast renovation.
Covers existing wallbase.
2400 x 16 x 129 mm, adaptable size.
Colour: paintable. Surface: foil. Core: MDF.





Beading
PGSCOTWHITE, white
PGSCOTPAINT, paintable

17 x 17 mm.
Colour: white or paintable. Surface: foil. Core: MDF.




Combi moulding, aluminium
PGPRSILV, silver

T-moulding and reducer in one. Plastic bottom rail.
Suitable for height differences of 0 – 12.3 mm.
1860 x 47 mm, H: 10 mm (uninstalled).
Colour: silver. Surface: aluminium.



End moulding, aluminium
PGENPSILV, silver

Fits to flooring thickness of 6 – 10 mm.
2700 x 25 mm.
Colour: silver. Surface: aluminium.



underlays



Make a great floor greater!

Before installing your new Pergo wood floor, you need to select an underlay. Choosing the right underlay will not only increase walking comfort, but also add functionality to your floor.

Do you want to improve the acoustics in the room, or do you need moisture protection? We offer a wide range of underlay solutions, suited to different needs. As with all Pergo products, our underlays are designed to retain their properties over time, making sure your floor stays beautiful as well as functional.

On the next page you will find an overview to help you choose the flooring underlay that is right for you.

Underlays for wood subfloors

	good	better	best
TOTAL SCORE	Underlay Foam ●●●●●●	Smart Underlay ●●●●●●	Silent Walk ●●●●●●
Durability/compressive strength	●●●●●●	●●●●●●	●●●●●●
Walking sound reduction	●●●●●●	●●●●●●	●●●●●●
Vapour barrier	NO	NO	YES*
Thickness	2 mm	3 mm	2 mm



Underlay Foam
PGUDLFOAM15B

A good basis for rooms with less traffic like a bedroom or attic. This underlay absorbs reflected walking sound and increases the walking comfort.
Thickness: 2 mm.
Material: Extruded polyethelene foam.
15m² / roll.



Smart Underlay
PGUDLSMART15

Good in rooms with more frequent traffic. This fold-out underlay improves walking comfort and is easy-to-install.
Thickness: 3 mm.
Material: Extruded polystyrene foam.
15m² / pack.



Silent Walk
PGUDLSW7

A very durable and strong underlay that reduces reflected walking sound to a minimum. Also ideal to be installed above floor heating.
Thickness: 2 mm.
Material: Mineral-filled polyurethane foam.
7m² / roll.

Underlays for concrete subfloors

	good	better	best
TOTAL SCORE	Underlay Foam+ ●●●●●●	Smart Underlay+ ●●●●●●	Silent Walk ●●●●●●
Durability/compressive strength	●●●●●●	●●●●●●	●●●●●●
Walking sound reduction	●●●●●●	●●●●●●	●●●●●●
Vapour barrier	YES	YES	YES*
Thickness	2 mm	3 mm	2 mm



Underlay Foam+
PGUDLFOAMPLUS15

A good basis for rooms with less traffic like a bedroom or attic. This underlay absorbs reflected walking sound and increases the walking comfort. Integrated vapour barrier with an overlap and tape strip included.
Thickness: 2 mm.
Material: Crosslinked polyethelene foam.
15 m² / roll.



Smart Underlay+
PGUDLSMARTPLUS15

Good in rooms with more frequent traffic. This fold-out underlay improves walking comfort and is easy-to-install. Integrated vapour barrier an overlap and tape strip included.
Thickness: 3 mm.
Material: Extruded polystyrene foam.
15m² / pack.



Silent Walk
PGUDLSW7

A very durable and strong underlay that reduces reflected walking sound to a minimum. Also ideal to be installed above floor heating.
Thickness: 2 mm.
Material: Mineral-filled polyurethane foam.
7m² / roll.

*When installing the SilentWalk on concrete floors or atop floorheating, tape the edges of the underlay with a damp-proof tape. Don't do this when installing on wooden subfloors.

Underlays for professional use



Professional SoundBloc™

PGUDLPS15, 0.95 x 15.79 m = 15 m² / roll
 PGUDLPS50, 0.95 x 52.64 m = 50 m² / roll

The best underlay for eliminating reflected walking sound. Increases walking comfort and provides excellent impact sound insulation. Integrated vapour barrier with an overlap and tape strip included. Thickness: 2 mm. Material: Crosslinked polyethelene foam.

floor heating



Pergo quickheat is the smart and easy way to enjoy underfloor heating. Nothing to cast in concrete, minimum bother – you can even forget about the electrician. Just roll out the quickheat mats with built-in heating cables and click them together. Install the thermostat and safety box on the wall, and plug in. It really is that simple.

In addition to warmth, Pergo quickheat also provides walking comfort, so no other underlay is needed. By supplementing your primary heating system with Pergo quickheat you can also usually lower the temperature 2 – 3 degrees compared to using radiators. The timer included with the system can be set for 5 + 2 days.

1. Quick, comfortable warmth


Pergo quickheat consists of two layers of foam plus a middle layer with heating cables and a reflective surface of aluminium foil. Thanks to the insulation and the heat reflective surface in the bottom of the mat, all heat is directed upward for fast adjustment of the room's temperature.

2. Built-in safety feature

Pergo quickheat has a built-in electrical safety feature that automatically disconnects power if a failure should occur. Naturally, the system is certified for do-it-yourself installation and fulfils international standards for removable floors.

3. Wireless thermostat in every room

With Pergo quickheat you can easily fine-tune the temperature of each room. Once the mats have been rolled out, simply connect the safety box and set the wireless thermostat to the desired temperature. The flexible timer allows you to have separate floor heating settings for weekdays and weekends. Four individual time zones support your daily mode (morning, day, evening and night) and each period can be set with a unique temperature.



Pergo quickheat, 55

PGUDLQH2, size 2 x 1 m
 PGUDLQH3, size 3 x 1 m
 PGUDLQH4, size 4 x 1 m
 PGUDLQH5, size 5 x 1 m

55 W/m². 220 V 50 Hz (European plug). Max load: 10 A (2300 W at 230 V). Maximum installation area: 42 m². Suitable for 5% ~ 95% relative humidity. Thickness: 8 mm. Thermal Insulation: 8 W/m² K.

Filler mat

PGUDLQHILLERMAT
 6.37 m². 26 mats/box. Used for the space between the heating mats and the wall.

Extension cables

PGQHEXTCAB025, size 0.25 m
 PGQHEXTCAB100, size 1.0 m
 PGQHEXTCAB200, size 2.0 m

Used between mats and/or to extend between mats and safety box.



Installation kit, wireless

PGUDLQHKITEU
 Wireless thermostat, safety box, connector tool and installation instructions.

installation



Moisturbloc Extreme™ PGUDLMO15

This vapour barrier has three times the moisture resistance of a traditional PE film. Can be installed on concrete floors with up to 95% relative humidity, making it ideal in basements and on concrete floors with high humidity. Moisturbloc Extreme™ makes it possible to install floors earlier during the construction of new homes. 1.05 x 15 m = 15 m² (5 cm overlap). Tape included. Thickness: 2.5 mm. Material: Polypropylene.



PE film (polyethylene) PGUDLSCREEN34,

12.5 x 2.7 m = 33.75 m² / roll
An underlay that protects flooring from moisture vapour rising up from a mineral or concrete subfloor. Useful lifetime 50 years. Thickness: 0.2 mm. Material: Polyethylene, alkaline resistant.



Installation kit PGTOOL

Everything you need in one box. Contains tapping block, installation spacers in two sizes (2 x 18 = 36 pcs) and a pull bar.

Extra spacers PGSPACER, 48 pcs



Wallbase installation kit PGCLIPS15LM

All wallbases are installed with an easy to use snap-in system where no nails or screws are visible. One installation kit is enough for 15 metres of wallbase.



Safeseal PGSEAL500

500 ml. Used for floor areas that require extra protection against moisture. PVAc based.



Multiglue PGGLUE290

290 ml. Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing wallbases and mouldings. Hybrid polymer. One tube gives 15 running meters of skirting.



Sealant

310 ml. For a beautiful finish. Dry in half an hour and fully cured after 24 hours. Available in 8 colours. Water based acrylic.



Radiator caps

Stainless steel
PGRCINOX15
inner diameter: 15 mm
outer diameter: 54 mm
PGRCINOX22
inner diameter: 22 mm
outer diameter: 54 mm



Tape

PGTAPE50
50 m x 5 cm. Self-adhesive aluminium tape for underlays.

maintenance

The tightly sealed TitanX™ surface prevents dirt from taking hold, making Pergo wood floors easy to clean. Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all round cleaner removes dirt without leaving a film if used correctly.



Cleaning kit
PGCLEANKIT

High-quality mop set with extra long ergonomic handle and a mop cloth holder with a practical Velcro fastener for attaching the mop cloth.

Separate mop cloth
PGCLEANMOP



All round Floor Cleaner
PGCLEANALL1000

Specially developed for cleaning laminate, wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax
PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com

Oiled wood floors need regular maintenance to look their best. If you clean your floor on a weekly basis with Pergo cleaning products, you should use Regular oil care once a month. In addition to regular maintenance, it is recommended that you treat your wood floor with Deep oil care once a year or whenever needed.

More info on: www.pergo.com



Regular oil care
PGWCARE1000

Pergo Regular oil care maintains and adds a protective layer to your oiled floor, preventing it from drying out and making sure it will age beautifully.



Deep oil care
PGWMAINTOILN, neutral
PGWMAINTOILW, white

A treatment for intense care and repair. Deep oil care has good penetrating qualities that go deep into the wood, helping it to retain its original look and become more wear-resistant.

Matching matrix

		
5-in-1 17 x 54 PGWINCP(-)	Wallbase straight 16 x 80 PGWPPSKR(-)	Sealant kit 310 ml PGKIT(-)

Svalbard			
W0103-01623 Sublime Oak, plank	01341	01341	04
W0103-01624 Natural Mountain Oak, plank	01334	01334	04
W0103-01625 Smoked Mansion Oak, plank	01354	01354	04
W0103-01626 Grey Vintage Oak, plank	01626	01626	04
W0103-01737 Glacier Oak, plank	01627	01627	04
W0103-01738 Chalked Oyster Oak, plank	01626	01626	04
Gotland			
W0105-01338 Estate Oak, plank	01334	01334	05
W0105-01339 Castle Oak, plank	01335	01335	05
W0105-01340 Urban light Oak, plank	01340	01340	02
W0105-01341 Fjord Oak, plank	01341	01341	04
W0105-01739 Country Ash, plank	01740	01740	03
W0105-01740 Scandinavian Ash, plank	01740	01740	03
W0105-01741 Forest Oak, plank	01741	01741	04
Bornholm			
W0108-01339 Cottage Oak, plank	01335	01335	05
W0108-01341 Sand Oak, plank	01341	01341	04
W0108-01354 Smoked Oak, plank	01354	01354	08
W0108-01739 Sublime Ash, plank	01740	01740	03
Sjælland			
W0210-01338 Natural Oak, 2-strip	01334	01334	04
W0210-01741 Lounge Oak, 2-strip	01741	01741	04
W0210-01742 Arctic Oak, 2-strip	01742	01742	02
W0210-01744 Summer Oak, 2-strip	01341	01341	04
Värmdö			
W0311-01739 Rustic White Ash, 3-strip	01740	01740	03
W0311-01740 Scandinavian Ash, 3-strip	01740	01740	03
W0311-01748 Natural Ash, 3-strip	01748	01748	05
W0311-01749 Limed Oak, 3-strip	01749	01749	03
W0311-01750 Classic Oak, 3-strip	01335	01335	04
W0311-01751 Traditional Oak, 3-strip	01334	01334	04
Åland			
W0412-01339 Oak, 3-strip	01335	01335	05
W0412-01739 White Ash, 3-strip	01740	01740	03
Jomfruland			
W0511-01629 Winter Oak, variation	01627	01627	01
W0511-01630 Mountain Oak, variation	01630	01630	04
W0511-01632 Coffee Oak, variation	01632	01632	08

Formats

	Collection	Length, mm	Width, mm	Thickness	Panels/pack*	m ² /pack	Pack/pallet	m ² /pallet
Plank design	Svalbard	2200	220	14	4 planks	1,936	64 boxes	123.90 m ²
	Gotland	1820	190	14	6 planks	2,0748	55 boxes	114.11 m ²
	Bornholm	1820	145	14	6 planks	1,5834	66 boxes	104.5 m ²
Block design	Sjælland	1820	186	14	6 planks	2,0311	55 boxes	111.71 m ²
	Värmdö	2200	190	14	6 planks	2,5080	55 boxes	137.94 m ²
	Åland	2200	190	13	6 planks	2,5080	55 boxes	137.94 m ²
	Jomfruland	2200	190	14	6 planks	2,5080	55 boxes	137.94 m ²

* Plank design: 1 split plank/pack
Block design: 1 split plank/2 packs



Guarantee

Thanks to a robust and innovative construction, every Pergo wooden floor is made to last, and that's why our products come with an ~~extensive warranty~~. ~~Floors with a 3 mm surface layer have a lifetime guarantee, and floors with a 2.5 mm surface layer are covered for 25 years.~~



pergo.com

PERGO[®]

Pergo (Europe) AB, Box 1010, SE-231 25 Trelleborg, Sweden
Tel +46 410 36 31 00, Fax +46 410 461 15

Pergo is a quality product produced by **UNILIN** bvba, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium, Europe.



Production: Konovalenko, Photo: Johan Kalén, Åke E:son Lindman/Adamsky, Styling: Patrizia Intiso, Lotta Agaton. Printed on PEFC-certified paper.